

References

1. Armstrong B, McNair P, Taylor D. Head and neck position sense. *Sports Med*, 38 (2), 2008: pp 101 – 117.
2. Alexander LD, Gilman DR, Brown DR et al. Exposure to low amounts of ultrasound energy does not improve soft tissue shoulder pathology: a systematic review. *Phys Ther*, 90 (1), 2010: pp 14 – 25.
3. Al-Kurdi D, Bell-Syer SE, Flemming K. Therapeutic ultrasound for venous leg ulcers. *Cochrane Database Syst Rev*. Jan 23 (1), 2008.
4. Allison G, Edmonston S, Kivinieme K et al. (2001) 'Influence of the standardized mobilization on the posteroanterior stiffness of the lumbar spine in asymptomatic subjects.' *Physiother Res Int*. 6 (3): pp 145 – 156.
5. Aourel M, Skoog M & Carleson J. (2005) 'Effects of Swedish massage on blood pressure.' *Complement Ther Clin Pract*. 11 (4): pp 242 – 246.
6. Arokoski JP, Leinonen V, Arokoski MH et al. Postural control in male patients with hip osteoarthritis. *Gait Posture*, 23 (1), 2006: pp 45 – 50.
7. Baldry PE. Acupuncture, Trigger Points and Musculoskeletal Pain, Third Ed. Elsevier Churchill Livingstone, Philadelphia PA, 2005.
8. Bartholomew JB, Lewis BP, Linder DE, et al. Post-exercise analgesia: replication and extension. *J Sports Sci*, 14, 1996: pp 329 – 334.
9. Bastard J & Tiran D. (2006) 'Aromatherapy and massage for antenatal anxiety: Its effect on the fetus.' *Complement Ther Clin Pract*. 12(1): pp 48 – 54.
10. Baxter D, McDonough SM. Principles of electrotherapy in veterinary physiotherapy. In Animal Physiotherapy. Assessment, Treatment and Rehabilitation of Animals. McGowan, Goff & Stubbs eds. Blackwell Publishing, Ames, Iowa, 2007 :pp 177 – 186.
11. Belanger AY. Evidence-Based Guide to Therapeutic Physical Agents. Lippincott Williams & Wilkins, Philadelphia, PA, 2003.
12. Bement MH. Exercise-induced hypoalgesia: an evidence-based review. In Mechanisms and Management of Pain for the Physical Therapist. Sluka ed. IASP Press, Seattle, WA, 2009:pp 143 – 166.
13. Bement MH, DiCapo J, Rasiarmos R et al. Dose response of isometric contractions on pain perception in healthy adults. *Med Sci Sports Exerc*, 40, 2009: pp 1880 – 1889.
14. Bement MH, Sluka KA. Low-intensity exercise reverses chronic muscle pain in the rat in a naloxone-dependent manner. *Arch Phys Med Rehabil*, 86, 2005: pp 1736 – 1740.
15. Bialosky JE, Bishop MD, Price DD et al. The mechanisms of manual therapy in the treatment of musculoskeletal pain: A comprehensive model. *Man Ther*, 14 (5), 2009: pp 531 – 538.
16. Bjordal JM, Couppe C, Chow R, et al. A systematic review of low level laser therapy with location-specific doses for pain from joint disorders. *J Physiotherapy*, 49: 107 – 116, 2003.
17. Bjordal JM, Johnson MI, Iversen V et al. Low-level laser therapy in acute pain: A systematic review of possible mechanisms of action and clinical effects in randomized placebo-controlled trials. *Photomed Las Surg*, 24 (2), 2006: pp 158 – 168.
18. Bjordal et al. Short-term efficacy of physical interventions in osteoarthritic knee pain. A systematic review and meta-analysis of randomised placebo-controlled trials. *BMC Musculoskel Dis*, June, 2007.
19. Björnsdóttir SV, Kumar S. (1997) 'Posteroanterior spinal mobilization: state of the art review and discussion.' *Dis Rehab*. 19 (2): pp 39 – 46.
20. Bockstahler B, Levine D, Millis D. 2004, *Essential Facts of Physiotherapy in Dogs and Cats Rehabilitation and Pain Management*. BE Vet Verlag. Babenhausen, Germany.
21. Boonyarom O, Kozuka N, Matsuyama K et al. Effect of electrical stimulation to prevent muscle atrophy on morphologic and histologic properties of hindlimb suspended rat hindlimb muscles. *Am J Phys Med Rehabil*, 88 (9), 2009: pp 7190 – 726.

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

22. Bradley PS, Portas MD. The relationship between preseason range of motion and muscle strain injury in elite soccer players. *J Strength Cond Res*, 21 (4), 2007: pp 1155 – 1159.
23. Bronfort G, Haas M, Evans RL et al. Efficacy of spinal manipulation and mobilization for low back pain and neck pain: a systematic review and best evidence synthesis. *Spine J*, 4(3), 2004: pp 335 – 356.
24. Brooks CP, Woodruff LD, Wright LL et al. (2005) 'The immediate effects o manual massage on power-grip performance after maximal exercise in healthy adults.' *J Altern Complement Med*. 11 (6): pp 1093 – 1101.
25. Brosseau L, Yonge KA, Robinson V et al. Thermotherapy for treatment of osteoarthritis. *Cochrane Database Syst Rev*, 2003; CD004522.
26. Brown, DC. A novel approach to the use of animals in studies of pain: validation of the canine brief pain inventory in canine bone cancer. *Pain Med*. 10(1), 2009: 133 – 142.
27. Burnham RS, Burnham TR. Effects of hand warming on electrodiagnostic testing results and diagnosis in patients with suspected carpal tunnel syndrome. *Arch Phys Med Rehabil*, 90 (12), 2009: pp 2062 – 2065.
28. Busse JW, Kaur J, Mollon B et al. Low intensity pulsed ultrasonography for fractures: systematic review of randomised controlled trials. *BMJ*, 338, 2009: b351.
29. Butler D, Moseley L. Explain Pain. Noigroup Publications, Adelaide, Australia, 2003.
30. Caywood D. Pain Pharmacology. In Current Techniques in Pain Management. Offered by The Canine Rehab Institute. Coral Springs, Florida, March 2010.
31. Chatchawan U, Thinkhamrop B Kharmwan et al Effectiveness of traditional Thai massage versus Swedish massage among patients with back pain associated with myofascial trigger points. *J Bodywork Movement Ther*, 9, 2009: pp 298 – 309.
32. Cheing GLY, Wan JWH, Lo SK. Ice and pulsed electromagnetic field to reduce pain an swelling after distal radius fractures. *J Rehabil Med*, 37, 2005: pp 372 – 377.
33. Chen X-H, Han J-S. All three types of opioid receptors in the spinal cord are important for 1/15 Hz electroacupuncture. *Eur J Pharmacol*, 211, 1992: pp 203 – 210.
34. Childs JD, Fritz JM, Flynn TW, et al. A clinical prediction rule to identify patients with low back pain most likely to benefit from spinal manipulation: a validation study. *Ann Intern Med*. 141 (12), 2004: pp 920 – 928.
35. Cho HJ, Lim SC, Kim SG et al. (2004) 'Effect of low-level laser therapy on osteoarthropathy in rabbit.' *In Vivo*. 18 (5): pp 585 -591.
36. Chow RT et al. The effect of 300mW, 830 nm laser on chronic neck pain: A double-blinded, randomized, placebo-controlled study. *Pain* 124, 201-210, 2006.
37. Chow RT et al. 830 nm laser irradiation induces varicosity formation, reduces mitochondrial membrane potential and blocks fast axonal flow in small and medium diameter rat dorsal root ganglion neurons: implications for the analgesic effects of 830 nm laser. *J Peripheral Nervous System* 12: 28 – 39, 2007.
38. Chow RT, Johnson MI, Lopes-Martins RAB et al. Efficacy of low-level laser therapy in the management of neck pain: a systematic review and meta-analysis of randomised placebo or active-treatment controlled trials. *Lancet*. 374 (9705), 2009: pp 1897 – 1908.
39. Comblain F, Serisier S, Barthelemy N et al. Review of dietary supplements for the management of osteoarthritis in dogs in studies from 2004 – 2014. *J Vet Pharmacol Therap*. 39: 1 – 15.
40. Conroy DE, Hayes KW. (1998) 'The effect of joint mobilization as a component of comprehensive treatment for primary shoulder impingement syndrome.' *JOSPT*. 28 (1): pp 3 – 14.
41. Constantoyannis C, Konstantinou D, Kourtopoulos H et al: Intermittent cervical traction for cervical radiculopathy caused by large-volume herniated disks. *J Manipulative Physiol Ther*. 25: pp 188 – 192, 2002.
42. Corbin L. (2005) 'Safety ad efficacy of massage therapy for patients with cancer.' *Cancer Control*. 12 (3): pp 158 – 164.
43. Coutinho EL et al (2004). 'Effect of passive stretching on the immobilized soleus muscle fiber morphology'. *Braz J med Biol Res*. 37 (12): 1853 – 1861.
44. Crook T, McGowan C, Pead M. Effect of passive stretching on the range of motion of osteoarthritic joints in 10 Labrador retrievers. *Vet Rec*, 160 (16), 2007: pp 545 – 547.

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

45. Crowe MJ, Sun ZP, Battocletti JH et al. Exposure to pulsed magnetic fields enhances motor recovery in cats after spinal cord injury. *Spine*, 28 (24), 2003: pp 2660 – 2666.
46. Cummings TM, White AR. Needling therapies in the management of myofascial trigger points: A systematic review. *Arch Phys Med Rehabil* 82, 2001: pp 986 – 992.
47. Cunha AC, Burke TN, Franca FJ et al. Effect of global posture re-education and of static stretching on pain, range of motion, and quality of life in women with chronic neck pain: a randomized clinical trial. *Clinics (Sao Paulo)*, 63 (6), 2008: pp 763 – 770.
48. Curtis D, Fallows S, Morris M. The efficacy of frequency specific microcurrent therapy on delayed onset muscle soreness. *J Bodyw Mov Ther*, 14(3): 272 – 279, 2010.
49. Davis et al (2005). ‘The effectiveness of 3 stretching techniques on hamstring flexibility using consistent stretching parameters.’ *J Strength Cond Res*. 19 (1): 27 – 32.
50. Decoster LC et al (2005). ‘The effects of hamstring stretching on range of motion: a systematic literature review’. *JOSPT*. 35: 377 – 387.
51. Dhail P, Duclos C, Barat M. Electrical stimulation and muscle strengthening. *Ann Readapt Med Phys* 51 (6), 2008: pp 441 – 451.
52. Dommerholt J, Bron C, Franssen J. Myofascial Trigger Points: An Evidence-Informed Review. In *Myofascial Trigger Points. Pathophysiology and Evidence-Informed Diagnosis and Management*. Dommerholt J, Huijbregts P eds. Jones and Bartlett Publishers, Boston, MA. 2011.
53. Drygas KA, McClure SR, Goring RL et al. Effect of cold compression therapy on postoperative pain, swelling, range of motion, and lameness after tibial plateau levelling osteotomy in dogs. *JAVMA* 38 (10): 1284 – 1291, 2011.
54. Duimel-Peeters IG, Halfens RJ, Berger MP et al. (2005) ‘The effects of massage as a method to prevent pressure ulcers. A review of the literature.’ *Ostomy Wound Manage*. 51 (4): pp 70 – 80.
55. Dupont Salter AC, Richmond FJR, Loeb G. (2003) ‘Prevention of muscle disuse atrophy by low-frequency electrical stimulation in rats.’ *IEEE Trans Neur Sys Rehabil Eng*. 11 (3): pp 218 – 226.
56. Ebenbichler GR, Erdogmus CB, Resch KL et al. Ultrasound therapy for calcific tendinitis of the shoulder. *N Engl J Med*, 340, 1999: pp 1533 – 1538.
57. Edwards J, Knowles N. Superficial dry needling and active stretching in the treatment of myofascial pain: a randomised controlled trial. *Acupunct Med*, 21, 2003: pp 80- 86
58. El-Husseini T, El-Kawy S, Shalaby H et al. Microcurrent skin patches for postoperative pain control in total knee arthroplasty: a pilot study. *Int Orthop*, 31 (2), 2007: pp 229 – 233.
59. Enwemeka CS, Parker JC, Dowdy DC, et al. The efficacy of low-powered lasers in tissue repair and pain control: a meta-analysis study. *Photomed Laser Surg*, 22, 2004: pp 323 – 329.
60. Ezzo J, Berman B, Hadhazy V et al. Is acupuncture effective for the treatment of chronic pain? *Pain*, 86, 2000: pp 217 – 225.
61. Fernández-de-las-Peñas C, Alonso-Blanco C, Fernández-Carnero J et al. The immediate effect of ischemic compression technique and transverse friction on tenderness of active and latent myofascial trigger points: A pilot study. *J Bodywork Movement Ther*, 10, 2006: pp 3 – 9.
62. Field, T. (2005) ‘Massage therapy for skin conditions in young children.’ *Dermatol Clin*. 23: p 717 – 721.
63. Fini M, Giavaresi G, Torricelli P et al. Pulsed electromagnetic fields reduce knee osteoarthritic lesion progression in the aged Dunkin Hartley guinea pigs. *J orthop Res* 2005 23 (4): 899 - 908.
64. Flynn T, Fritz J, Whitman J, et al. A clinical prediction rule for classifying patients with low back pain who demonstrate short-term improvement with spinal manipulation. *Spine*, 27 (24): pp 2835 – 2843.
65. French SD, Cameron M, Walker BF et al. A Cochrane review of superficial heat or cold for low back pain. *Spine*, 31, 2006: pp 998 - 1006
66. Friden T, Roberts D, Ageberg E, et al. Review of knee proprioception and the relation to extremity function after an anterior cruciate ligament rupture. *J Orthop Sports Phys Ther* 31 (10): 567 – 576, 2001.
67. Friden T, Roberts D, Zetterstrom R et al. Proprioceptive defects after an anterior cruciate ligament rupture – the relation to associated anatomical lesions and subjective knee function. *Knee Surg Sports Traumatol Arthrosc* 7 (4): 226 – 231, 1999

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

68. Fritz JM, Brennan GB. Preliminary examination of a proposed treatment-based classification system for patients receiving physical therapy interventions for neck pain. *Phys Ther*, 87, 2007: pp 513 – 524.
69. Fritz JM, Lindsay W, Matheson JW, et al. Is there a subgroup of patients with low back pain likely to benefit from mechanical traction? Results of a randomized clinical trial and subgrouping analysis. *Spine*, 32 (26), 2007: pp E793 – 800.
70. Galea M. The effect of pain on motor control. In Grieve's Modern Manual Therapy The Vertebral Column. Boyling & Jull eds. Elsevier Churchill Livingston, Toronto, ON, 2004: pp 173 – 186.
71. Gandini G, Cizinauskas S, Lang J, et al. Fibrocartilaginous embolism in 75 dogs: clinical findings and factors influencing the recovery rate. *J Small Anim Pract*, 44 (2), 2003: pp 76 – 80.
72. Gibson, TH, O'Hair DE. Cranial application of low level transcranial electrotherapy vs. relaxation instruction in anxious patients. *Am J of Electromedicine* 1987; 4:18-21.
73. Gingerich DA, Strobel JD. (2003). Use of client-specific outcome measures to assess treatment effects in geriatric, arthritic dogs: controlled clinical evaluation of a nutraceutical. *Vet Ther* 4(1): 56 – 65.
74. Goodsell M, Lee M, Latimer J. (2000) 'Short-term effects of lumbar posteroanterior mobilization in individual with low-back pain.' *J Manipul Physiol Ther*. 23 (5): pp 332 – 342.
75. Greening J. How inflammation and minor nerve injury contribute to pain in nerve root and peripheral neuropathies. In Grieve's Modern Manual Therapy The Vertebral Column. Boyling & Jull eds. Elsevier Churchill Livingston, Toronto, ON, 2004: pp 205 – 214.
76. Gross AR, Goldsmith C, Hoving JL et al. Conservative management of mechanical neck disorders: a systematic review. *J Rheumatol*, 34 (5), 2007: pp 1083 – 1102.
77. Gunn CC. The Gunn Approach to the Treatment of Chronic Pain: Intramuscular Stimulation for myofascial Pain of Radiculopathic Origin, 2nd Ed. Churchill Livingston, NY, 2003.
78. Gunn CC, Milbrandt WE, Little AS et al. Dry needling of muscle motor points for chronic low-back pain. *Spine* 5, 1980: pp 279 – 291.
79. Gur A, Jale Srac A, Cevik R et al. Efficacy of 904 nm Gallium Arsenide Low Level Laser Therapy in the Management of Chronic Myofascial Pain in the Neck: A Double-Blind and Randomized Controlled Trial. *Laser Surg Med* 35:229–235, 2004
80. Hall TM, Elvey RL. Management of mechanosensitivity of the nervous system in spinal pain syndromes. In Grieve's Modern Manual Therapy The Vertebral Column. Boyling & Jull eds. Elsevier Churchill Livingston, Toronto, ON, 2004: pp 413 – 431.
81. Hall MC, Mockett SP, Doherty M. Relative impact of radiographic osteoarthritis and pain on quadriceps strength, proprioception, static postural sway and lower limb function. *Ann Rheum Dis*, 65 (7), 2006: pp 865 – 870.
82. Hamilton SA. 2002, Rehabilitation of osteoarthritis in a dog. *Proceedings 2nd International Symposium on Rehabilitation and Physical Therapy in Veterinary Medicine*. Knoxville, TN.
83. Hart JM, Swanik CB, & Tierney RT. (2005) 'Effects if sport massage on limb girth and discomfort associated with eccentric exercise.' *J Athletic Training*. 40 (3): pp 181 – 185.
84. Hayashi AM, Matera JM, Fonseca Pinto AC. Evaluation of electroacupuncture treatment for thoracolumbar intervertebral disc disease in dogs. *J Am Vet Med Assoc*. 231 (6), 2007: pp 913 – 918.
85. Heden P, Pilla AA. Effects of pulsed electromagnetic fields on postoperative pain: A double-blind randomized pilot study of breast augmentation patients.. *Aesthetic Plast Surg* 2008; 32 (4): 660 – 666.
86. Hegedus, B, Viharo L, Gervain M, et al. The effect of low-level laser in knee osteoarthritis: A double-blind, randomized, placebo-controlled trial. *Photomed Laser Surg*, 2009, 27 (4): 577 – 584.
87. Hielm-Bjorkman HK, Rita H, Tulamo R-M. Psychometric testing of the Helsinki chronic pain index by completion of a questionnaire in Finnish by owners of dogs with chronic signs of pain caused by osteoarthritis. *Am J Vet Res*. 70: 727 – 734, 2009.

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

88. Herzog W, Scheele D, Conway PJ. (1999) 'Electromyographic responses of back and limb muscles associated with spinal manipulative therapy.' *Spine.* 24 (2): pp 146 – 152.
89. Hoeger Bement MK, Sluka KA. Pain: Perception and mechanisms. In Scientific Foundations and Principles of Practice in Musculoskeletal Rehabilitation. Magee, Zachazewski & Quillen eds. Saunders Elsevier, St Louis, Missouri, 2007: pp 217 – 237.
90. Hoeksma H, Dekker J, Ronday H et al. (2004) 'Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: A randomized clinical trial.' *Arthritis Care and Research.* 51: pp 722 – 729.
91. Hoffman MD, Shepanski MA, Ruble SB et al. Intensity and duration threshold for aerobic exercise-induced analgesia to pressure pain. *Arch Phys Med Rehabil,* 85, 2004: pp 1183 – 1187.
92. Holst S, Lund I, Petersson M et al. (2005) 'Massage-like stroking influences plasma levels of gastrointestinal hormones, including insulin, and increases weight gain in male rats.' *Auton Neuro.* 120: pp 73 – 79.
93. Hong CZ. Lidocaine injection versus dry needling to myofascial trigger point. *Am J Phys Med Rehabil,* 73, 1994: pp 256 – 263.
94. Hopton A, Macpherson H. Acupuncture for chronic pain: Is acupuncture more than an effective placebo? A systematic review of pooled date form meta-analyses. *Pain Pract.* Jan 8, 2010 (Epub ahead of print).
95. Hou CR, Tsai LC, Cheng KF et al. Immediate effects of various physical therapeutic modalities on cervical myofascial pain and trigger-point sensitivity. *Arch Phys Med Rehabil,* 83, 2002: pp 1406 - 1414.
96. Houghton P. Ultrasound treatments involving 0.5 W/cm², 20% duty cycle, for 5 minutes are not enough. *Orthopaedic Division Review,* September/October 2009, pp 35 – 36.
97. Hsieh C, Vicenzino B et al. Mulligans mobilization with movement for the thumb: a single case report using magnetic resonance imaging to evaluate the positional fault hypothesis. *Man Ther.* 2002, 7 (1): 44 – 49.
98. Huang MH, Ding HJ, Chai CY, et al. Effects of sonification on articular cartilage in experimental osteoarthritis. *J Rheumatol.* 24 (10): 1978 – 1984, 1997.
99. Huang MH, Lin YS, Lee CL et al. Use of ultrasound to increase effectiveness of isokinetic exercise for knee osteoarthritis. *Arch Phys Med Rehabil,* 86 (8): 1545 – 1551, 2005.
100. Huang MH, Yang RC, Lee CL et al. Preliminary results of integrated therapy for patients with knee osteoarthritis. *Arthritis Rheum,* 53 (6): 812 – 820, 2005.
101. Hudson S, Hulse D. 2004, Benefit of rehabilitation for treatment of osteoarthritis in senior dogs. *Proceedings 3rd International Symposium on Rehabilitation and Physical Therapy in Veterinary Medicine.* Research Triangle Park, NC.
102. Hulme J, Robinson V, DeBie R et al. Electromagnetic fields for the treatment of osteoarthritis. *Cochrane Database Syst Rev,* (1), 2002.
103. Hunter JP and Marshal RN (2002) 'Effects of power and flexibility training on vertical jump technique' *Med Sci Sports Exer.* 3 (3): 478 – 486.
104. Ibiwoye MO, Powel KA, Grabiner MD et al. Bone mass is preserved in a critical-sized osteotomy by low energy pulsed electromagnetic fields as quantitated by in vivo micro-computed tomography. *J Orthop Res,* 22, 2004: pp 1086 – 1093.
105. Ilbuldu E, Cakmak A, Disci R et al. Comparison of laser, dry needling, and placebo laser treatments in treatments of myofascial pain syndrome. *Photomed Laser Surg.* 22 (4): 306 – 311, 2004.
106. Iversen MD, Kale MK, Sullivan JT Jr. Pilot case control study of postural sway and balance performance in aging adults with degenerative lumbar spinal stenosis. *J Geriatr Phys Ther,* 32 (1), 2009: pp 15 – 21.
107. Jaeger B, Reeves JL. Quantification of changes in myofascial trigger point sensitivity with the pressure algometer following passive stretch. *Pain,* 27, 1986: pp203 – 210.

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

108. Jaeger GT, Larsen S, Soli N et al. Double-blind, placebo-controlled trial of the pain-relieving effects of the implantation of gold beads into dogs with hip dysplasia. *Vet Rec* 158 (21), 2006: pp 722 – 726.
109. Janal MN, Colt EW, Clark WC, et al. Pain sensitivity, mood and plasma endocrine levels in man following long-distance running: effects of naloxone. *Pain* 19, 1984: pp 13 – 25.
110. Jam B: Is there evidence to support other common interventions? In *When a Back Goes Out...Where Does it Really Go? Answers for Clinicians Committed to Evidence-based Management of acute Low Back Pain for the Prevention of Chronic Disability*. Advanced Physical Therapy Education Institute, Thornhill, ON, Canada, 2005.
111. Janssens LAA. Triggerpoints in 48 dogs with myofascial pain syndrome. *Vet Surg*, 20, 1991: pp 274 – 278.
112. Joghataei MT, Arab AM, Khaksar. The effect of cervical traction combined with conventional therapy on grip strength on patients with cervical radiculopathy. *Clin Rehabil*, 18 (8), 2004: pp 879 – 887.
113. Kapatkin AS, Tomasic M, Beech J et al. Effects of electrostimulated acupuncture on ground reaction forces and pain scores in dogs with chronic elbow joint arthritis. *J Am Vet Med Assoc*. 228 (9), 2006: pp 1350 – 1354.
114. Katavich L. (1998) 'Differential effects of spinal manipulative therapy on acute and chronic muscle spasm: a proposal for mechanism and efficacy.' *Manual Therapy*. 3 (3): pp 132 – 139.
115. Khanna A, Nelmes RT, Gougloulias N, et al. The effects of LIPUS on soft-tissue healing: a review of literature. *Br Med Bull*, 89, 2009: pp 169 – 182.
116. Kim MY, Kwon DR, Lee HI. Therapeutic effect of microcurrent therapy in infants with congenital muscular torticollis. *PM R*, 1(8): 736 – 739, 2009.
117. Knudson D (1999). 'Stretching during warm-up: Do we have enough evidence?' *JOPERD*. 70 (7): 24 – 26.Krause M, Refshauge KM, Dessen et al: Lumbar spine traction: evaluation of effects and recommended application for treatment. *Man Ther*. 5 (2): pp 72 – 81, 2000.
118. Koopman JS, Vrinten DH, van Wijck AJ. Efficacy of microcurrent therapy in the treatment of chronic nonspecific back pain: a pilot study. *Clin J Pain*, 25 (6), 2009: pp 495 – 499.
119. Korstjens CM, Nolte PA, Burger EH, et al. Simulation of bone cell differentiation by low-intensity ultrasound – a histomorphometric in vitro study. *J Orthop Res* 22: 495 – 500, 2004.
120. Korstjens CM, van der Rijt RH, Albers GH et al. Low-intensity pulsed ultrasound affects human articular chondrocytes in vitro. *Med Biol Eng Comput*, 46: 1263 – 1270, 2008.
121. Krause M, Refshauge KM, Dessen et al: Lumbar spine traction: evaluation of effects and recommended application for treatment. *Man Ther*. 5 (2): pp 72 – 81, 2000.
122. Kroeling P, Gross A, Goldsmith CH et al. Electrotherapy for neck pain. *Cochrane Database Syst Rev*, Oct 7 (4), 2009.Kuan TS, Hsieh YL, Chen SM et al. The myofascial trigger point region: correlation between the degree of irritability and the prevalence of endplate noise. *Am J Phys Med Rehabil*, 86, 2007: pp 183 – 189.
123. Lake DA. Neuromuscular electrical stimulation. An overview and its application in the treatment of sports injuries. *Sports Med*, 13 (5), 1992: pp 320 – 336.
124. Law RY, Harvey LA, Nicholas MK et al. Stretch exercises increase tolerance to stretch in patients with chronic musculoskeletal pain: a randomized controlled trial. *Phy Ther*, 89 (10), 2009: pp 1016 – 1026.
125. Lee EWC, Maffulli N, Li CK, et al. Pulsed magnetic and electromagnetic fields in experimental Achilles tendonitis in the rat: a prospective randomized study. *Arch Phys Med Rehabil*, 78, 1997: pp 399 – 404.
126. Lee M, Latimer J & Maher C. (1993) 'Manipulation: investigation of a proposed mechanism.' *Clin Biomech*. 8: pp 302 – 306.
127. Leveille SG, Jones RN, Kiely DK et al. Chronic musculoskeletal pain and the occurrence of falls in an older population. *JAMA* 302 (20), 2009: pp 2214 – 2221.
128. Lin YS, Huang MH, Chai CY. (2005) 'Effects of helium-neon laser on the mucopolysaccharide induction in experimental osteoarthritic cartilage.'

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

129. Lindley S, Cummings M. Essentials of Western Veterinary Acupuncture. Blackwell Publishing. Ames, Iowa, 2006.
130. Loyola-Sanchez A, Richardson J, MacIntyre NJ. Efficacy of ultrasound therapy for the management of knee osteoarthritis: a systematic review with meta-analysis. *Osteoarthritis Cartilage*. 18 (9): 1117-1126, 2010.
131. Madsen MV, Gotzsche PC, Hrobjartsson A. Acupuncture treatment for pain: systematic review of randomised clinical trials with acupuncture, placebo acupuncture, and no acupuncture groups. *BMJ*, 338, 2009: pp a3115.
132. Magnusson SP et al (1998). 'A biomechanical evaluation of cyclic and static stretch in human skeletal muscle.' *Int J Sports Med*. 19 (5): 310 – 316.
133. Maher CG. Effective physical treatment for chronic low back pain. *Orthop Clin N Am* 35: 57 – 64, 2004.
134. Maitland G, Hengeveld E, Banks K, English K. (2005) *Maitland's Vertebral Manipulation*. (Elsevier Butterworth Heinemann: Toronto).
135. Malanga GA & Nadler SF: Nonoperative treatment of low back pain. *Mayo Clin Proc*. 74: pp 1135 – 1148, 1999.
136. Markert SE. The use of Cryotherapy after a total knee replacement: a literature review. *Orthop Nurs*. 30 (1): 29 – 36, 2011.
137. Marsolais GS, Dvork G, Conzemius MG. 2002, Effects of post-operative rehabilitation on limb function after cranial cruciate ligament repair in dogs. *J Am Vet Med Assoc*. 220: 1325 – 1330.
138. Marsolais GS, McLean S, Derrick T et al 2003, kinematic analysis of the hind limb during swimming and walking in healthy dogs and dogs with surgically corrected cranial cruciate ligament rupture. *J Am Vet Med Assoc*. 22 (6): 739 – 743.
139. Meroni R, Cerri CG, Lanzarini C et al. Comparison of active stretching technique and static stretching technique on hamstring flexibility. *Clin J Sport Med*, 20 (1), 2010: pp 8 – 14.
140. Messier SP, Legault C, Schoenlank CR et al. Risk factors and mechanisms of knee injury in runners. *Med Sci Sports Exerc*, 40 (11), 2008: pp 1873 – 1879.
141. Michlovitz SL (ed). Thermal Agents in Rehabilitation 2nd Ed. F.A. Davis Company, Philadelphia, PA, 1990.
142. Millis DL and Levine D. 1997, The role of exercise and physical modalities in the treatment of osteoarthritis. *Vet Clin North Am Small Anim Pract*. 27; 913 -930.
143. Mich P. Pharmacology in Pain Management: old, new, and out of the blue. In Current Techniques in Pain Management. Offer by The Canine Rehab Institute. Snowmass, Colorado, August 2011.
144. Monk M, Preston C, McGowan C. Effects of early intensive postoperative physiotherapy on limb function after tibial physiotherapy on limb function after tibial plateau levelling osteotomy in dogs with deficiency of the cranial cruciate ligament. *Am J Vet Res*, 67 (3), 2006: pp 529 – 536.
145. Monk M. 2007, Hydrotherapy. In: McGowan C, Goff L, Stubbs N (eds) *Animal Physiotherapy Assessment, Treatment and Rehabilitation of Animals*. Blackwell Publishing, Oxford, UK.
146. Moraska A. (2005) 'Sports massage: A comprehensive review.' *J Sports Med Phys Fitness*. 45 (3): pp 370 – 380.
147. Moseley GL, Hodges PW. Chronic pain and motor control. In Grieve's Modern Manual Therapy The vertebral Column. Boyling & Jull eds. Elsevier Churchill Livingston, Toronto, ON, 2004: pp 215 – 231.
148. Naito et al. "Low-Intensity Pulsed Ultrasound (LIPUS) Increases the Articular Cartilage Type II Collagen in a Rat Osteoarthritis Model," Wiley Periodicals, Inc. *J Orthop Res* 28:361–369, 2010
149. Nansel D, Peneff A et al. Time course consideration for the effects of unilateral lower cervical adjustments with respect of the amelioration of cervical lateral-flexion passive end range asymmetry. *J Manipulative Physiol Ther*, 13, 1990: pp 297 – 304.

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

150. Nicholson HL, Osmotherly PG, Smith BA et al. Determinants of passive hip range of motion in adult Greyhounds. *Aust Vet J*, 85 (6), 2007: pp 217 – 221.
151. Nilsson N, Wulff Christensen H, Hartvigsen J. (1996) 'Lasting changes in passive range of motion after spinal manipulation: A randomized, blind, controlled trial. *Spine*. 19 (3): pp 165 – 168.
152. Oliver JE, Hoerlein BF, Mayhew IG. Veterinary Neurology. Philadelphia, WB Saunders Co., 1987.
153. Oliver JE Jr, Lorenz MD. Handbook of Veterinary Neurology, 2nd Ed. WB Saunders Co, Philadelphia, PA, 1993.
154. Olney CM. (2005) 'The effects of therapeutic back massage in hypertensive persons: a preliminary study.' *Biol Res Nurs.* 7 (2): pp 98 – 105.
155. Olson VL. (1987) 'Evaluation of joint mobilization treatment. A method.' *Phys Ther.* 63 (9): pp 1439 – 1444.
156. Ozgonenel L, Aytekin E, Durmusoglu G. A double-blinded trial of clinical effects of therapeutic ultrasound in knee osteoarthritis. *Ultrasound Med Biol.* 35(1): 44 – 49, 2009.
157. Ozturk B, Gunduz OH, Ozoran K et al. Effect of continuous lumbar traction on the size of herniated disc material in lumbar disc herniation. *Rheumatol Int*, 2005.
158. Plews-Ogan M, Owens JE, Goodman M et al. (2005) 'Brief Report: A pilot study evaluating mindfulness-based stress reduction and massage for the Management of chronic pain.' *J Gen Intern Med.* 20: pp 1136 – 1138.
159. Plumb, DC. Plumb's Veterinary Drug Handbook 6th Ed. Blackwell Publishing, Ames, Iowa, 2008.
160. Power K et al (2004). 'An acute bout of static stretching: Effects on force and jumping performance'. 36 (8): 1389 – 1396.
161. Prentice WE. An electromyographic analysis of the effectiveness of heat or cold and stretching for inducing relaxation in injured muscle. *J Orthop Sports Phys Ther.* 3 (3), 1982: pp 133 – 140.
162. Rajpurohit B, Khatri SM, Metqud D, et al. Effectiveness of transcutaneous electrical nerve stimulation and microcurrent electrical nerve simulation in buxism associated with masticatory muscle pain – a comparative study. *Indian J Dent Res*, 21 (1): 104 – 106, 2010.
163. Rexing J, Dunning D, Siegel AM, et al. Effects of cold compression, bandaging, and microcurrent electrical therapy after cranial cruciate ligament repair in dogs. *Vet Surg*, 39 (1): 54 – 58, 2010.
164. Roberts D, Friden T, Stromberg A, et al. Bilateral proprioceptive defects in patients with a unilateral anterior cruciate ligament reconstruction: a comparison between patients and healthy individual. *J Orthop Res* 18 (4): 565 – 571, 2000.
165. Roberts D, Friden T, Zatterstrom R et al. Proprioception in people with anterior cruciate ligament-deficient knees: comparison of symptomatic and asymptomatic patients. *J Orthop Sports Phys Ther* 29 (10): 587 – 594, 1999.
166. Robinson V, Brosseau L, Casimiro L et al. Thermotherapy for treating rheumatoid arthritis. *Cochrane Database Syst Rev*, 2002; CD002826.
167. Rohde C, Chiang A, Adipoju O et al. Effects of pulsed electromagnetic fields on interleukin-1 beta and postoperative pain: a double-blind, placebo-controlled pilot study in breast reduction patients. *Plast Reconstr Surg* 2010; 125 (6): 1620 – 1629.
168. Ruble SB, Hoffman MD, Shepanski MA et al. Thermal pain perception after aerobic exercise. *Arch Phys Med Rehabil*, 86, 2005: pp 1019 – 1023.
169. Rutjes AW, Nüesch E, Sterchi R et al. Therapeutic ultrasound for osteoarthritis of the knee or hip. *Cochrane Database Syst Rev*, Jan 20 (1), 2010.
170. Sal JA & Saal JS: Nonoperative treatment of herniated lumbar intervertebral disc with radiculopathy. An outcome study. *Spine*. 14 (4): pp 431 – 437, 1989.
171. Sandberg M, Larsson B, Lindberg LG et al. Different patterns of blood flow response in the trapezius muscle following needle stimulation (acupuncture) between healthy subjects and patients with fibromyalgia and work-related trapezius myalgia. *Eur J Pain*, 9, 2005: pp 497 – 510.

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

172. Sandlund J, Djupsjobacka M, Ryhed B et al. Predictive and discriminative value of shoulder proprioception tests for patients with whiplash-associated disorders. *J Rehabil Med*, 38 (1), 2006: pp 44 – 49.
173. Sandlund J, Roijezon U, Bjorklund M et al. Acuity of goal-directed arm movements to visible targets in chronic neck pain. *J Rehabil Med*, 40 (5), 2008: pp 366 – 374.
174. Sarhan TM, Doghem MA. Effect of microcurrent skin patch on the epidural fentanyl requirements for post operative pain relief of total hip arthroplasty. *Middle East Anesthesiol*, 20 (3), 2009: pp 411 – 415.
175. Schmid A, Brunner F, Wright A, et al. Paradigm shift in manual therapy? Evidence for a central nervous system component in the response to passive cervical joint mobilisation. *Man Ther*, 13 (5), 2008: pp 387 – 396.
176. Schoen AM (ed). *Veterinary Acupuncture Ancient Art to Modern Medicine* 2nd Ed. Mosby, St Louis, Missouri, 2001.
177. Shah JP, Danoff JV, Desai MJ et al. Biochemicals associated with pain and inflammation are elevated in sites near to and remote from active myofascial trigger points. *Arch Phys Med Rehabil*, 89, 2008: pp 16 – 23.
178. Shah JP, Phillips TM, Danoff JV, et al. An in vivo microanalytical technique for measuring the local biochemical milieu of human skeletal muscle. *J Appl Physiol*, 99, 2005: pp 1977 – 1984.
179. Shakoor N, Furmanov S, Nelson DE et al. Pain and its relationship with muscle strength and proprioception in knee OA: results of an 8-week home exercise pilot study. *J Musculoskel Neuronal Interact*, 8 (1), 2008: pp 35 – 42.
180. Shanks P, Curran M, Fletcher P et al. The effectiveness of therapeutic ultrasound for musculoskeletal conditions of the lower limb: A literature review. *Foot (Edinb)*. 20 (4): 133 – 139, 2010
181. Shrier I (2004). 'Does stretching improve performance?: A systematic and critical review of the literature.' *Clin J Sport Med*. 14 (5): 267 – 273.
182. Siendentopf C, Golaszewski SM, Mottaghy FM et al. Functional magnetic resonance imaging detects activation of the visual association cortex during laser acupuncture of the foot in humans. *Neurosci Lett*, 327, 2002: pp 3 – 56.
183. Simons DG, Travell JG, Simons LS. *Travell and Simons' Myofascial Pain and Dysfunction: The Trigger Point Manual*. Vol 1: Upper Half of Body. 2nd ed. Baltimore, MC: Williams & Wilkins. 1999.
184. Sluka KA (ed). *Mechanisms and Management for Pain for the Physical Therapist*. IASP, Seattle, WA, 2009.
185. Sluka KA, Deacon M, Stibal A et al. Spinal blockade of opioid receptors prevents the analgesia produced by TENS in arthritic rats. *J Pharmacol Exp Ther*, 289, 1999: pp 840 – 846.
186. Smith RB, Tiberi A, Marshall J. The use of cranial electrotherapy stimulation in the treatment of closed-head-injured patients. *Brain Inj*. 8(4): 357 – 361, 1994.
187. Soriano F, Campana V, Moya M et al. (2006) 'Photobiomodulation of pain and inflammation in microcrystalline arthropathies: experimental and clinical results.' *Photomed Las Surg*. 24 (2): pp 140 – 150.
188. Souvlis T. *Acupuncture and Trigger Points*. In: McGowan C, Goff L, Stubbs N (eds) *Animal Physiotherapy Assessment, Treatment and Rehabilitation of Animals*. Blackwell Publishing, Oxford, UK.
189. Srbely JZ. Ultrasound in the management of osteoarthritis: part I: a review of the current literature. *JCCA J Can Chiropr Assoc*, 52, 2008: pp 30 – 37.
190. Srbely JZ Dickey JP. Randomized controlled study of the antinociceptive effect of ultrasound on trigger point sensitivity: novel applications in myofascial therapy? *Clin Rehabil*, 21, 2007: pp 411 – 417.

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

191. Srbely JZ, Dickey MP, Lowerison M et al. Stimulation of myofascial trigger points with ultrasound induces segmental antinociceptive effects: a randomized controlled study. *Pain*, 139, 2008: pp 260 – 266.
192. Steiss JE, Bradley DM, MacDonald J et al. Letter to the Editor. *Veterinary Dermatology*, 6 (2), 1995: pp 115 – 116.
193. Steiss JE. 2003, Canine Rehabilitation In: Braund, KG (ed) *Clinical Neurology in Small Animals – Localization, Diagnosis and Treatment*. IVIS, New York.
194. Sterling M, Jull G, Wright A. (2001) 'Cervical mobilization: concurrent effects on pain, sympathetic nervous system activity and motor activity. *Man Ther.* 6 (2): pp 72 – 81.
195. Tan G, Rintala DH, Thornby JI et al. Using cranial electrotherapy stimulation to treat pain associated with spinal cord injury. *J Rehabil Res Dev*, 43 (4), 2006: pp 461 – 474.
196. Tangner CH. 1984, Physical therapy in small animal patients: basic principles and application. *Comp Cont Ed.* 6 (10): 933 – 936.
197. Tascioglu F, Kuzgun S, Armagan O, et al. Short-term effectiveness of ultrasound therapy in knee osteoarthritis. *J Int Med Res.* 38 (4): 1233 – 1242, 2010.
198. Thacker SB et al (2004). 'The impact of stretching on sports injury risk: A systematic review of the literature'. *Med Sci Sports Exerc.* 36 (3): pp371 – 378.
199. Tranquilli W, Grimm K, Lamont L. Pain Management for the Small Animal Practitioner, 2nd Ed. Teton New Media, Jackson, Wyoming, 2004.
200. Tullberg T, Blomberg S, Branth B, Johnsson R. (1998) 'Manipulation does not alter the position of he sacroiliac joint: A roentgen stereophotgrammetric analysis.' *Spine.* 23 (10): pp 1124 – 1128.
201. Tuner J, Hode L. Laser Therapy Clinical Practice & Scientific Background, 2002.
202. Tuominen H. (2002) 'Massage'. In Proceedings of the 2nd International Symposium on Rehabilitation and Physical Therapy in Veterinary Medicine. Knoxville, TN, USA. Pp 69 – 71.
203. Um S, Kim M, Lim J et al. Thermographic evaluation for the efficacy of acupuncture on induced chronic arthritis in the dog. *J Vet Med Sci*, 67, 2005: pp 1283 – 1284.
204. Van der Windt DA, van der Heijden GJ, van den Berg SG et al. Ultrasound therapy for musculoskeletal disorders: a systematic review. *Pain*. 81 (3): 257 – 271, 1999.
205. Van Der Windt DA, Van Der Heijden GJ, Van Den Berg SG et al. Ultrasound therapy for acute ankle sprains. *Cochrane Database Syst Rev.* 2002; (1).
206. Vavken P, Arrich F, Schuhfried O et al. Effectiveness of pulsed electromagnetic field therapy in the management of osteoarthritis of the knee: a meta-analysis of randomized controlled trials. *J Rehabil Med*, 41 (6), 2009: pp 406 – 411.
207. Vuillerme N, Pinsault N. Experimental neck muscle pain impairs standing balance in humans. *Exp Brain Res*, 192 (4), 2009: pp 723 – 729.
208. Walker E. Ultrasound therapy for herpes zoster pain. *J R Coll Gen Pract*, 34, 1984: pp 627 – 628.
209. Watson PJ. Managing Chronic Pain. In 3rd Edition Grieve's Modern Manual Therapy The Vertebral Column. Boyling JD, Jull GA eds. Elsevier Churchill Livingstone, Toronto, 2004; 551 – 566.
210. Wend MC, Lee CL, Chen CH et al. Effects of different stretching techniques on the outcomes of isokinetic exercises in patients with knee osteoarthritis. *Kaohsiung L Med Sci*, 25 (6), 2009: pp 306 – 315.
211. Williams AL, Selwyn PA, Liberti L et al. (2005) 'A randomized controlled trial of meditation and massage effects on quality of life in people with late-stage disease: a pilot study.' *J Palliat Med.* 8 (5): 939 – 952.
212. Wong JY. A Manual of Neuro-Anatomical Acupuncture. Volume 1: Musculo-skeletal Disorders. The Toronto Pain and Stress Clinic, Toronto, ON. 1999.

Pain Management for the Canine Rehab Professional
Laurie Edge-Hughes, BScPT, MAnimSt, CAFCI, CCRT

213. Woodruff LD, Bounkeo JM, Brannon WM et al. The efficacy of laser therapy in wound repair: a meta-analysis of the literature. *Photomed Laser Surg*, 22, 2004: pp 241 – 247.
214. Wright A, Zusman M. Neurophysiology of pain and pain modulation. In Grieve's Modern Manual Therapy The Vertebral Column. Boying JD & Jull GA eds. Elsevier Churchill Livingstone, Toronto, ON, 2004: pp 155 – 171.
215. Wright V, Johns RJ. Quantitative and qualitative analysis of joint stiffness in normal subjects and in patients with connective tissue diseases. *Ann Rheum Dis*, 20, 1961: pp 36 – 46.
216. Yahia A, Ghroubi S, Jribi S et al. Chronic neck pain and vertigo: Is a true balance disorder present? *Ann Phys Rehabil Med*, 52(7 – 8), 2009: pp 556 – 567.
217. Yuan J, Purepong N, Kerr DP et al. Effectiveness of acupuncture for low back pain: a systematic review. *Spine*, 33 (23), 2008: pp E887 – 900.
218. Zainuddin S, Newton M, Sacco P et al. (2005) 'Effects of massage on delayed-onset muscle soreness, swelling and recovery of muscle function.' *J Athletic Training*. 40 (3): pp 174 – 180.
219. Zatterstrom R, Friden T, Lindstrand A et al. The effect of physiotherapy on standing balance in chronic anterior cruciate ligament insufficiency. *Am J Sports Med* 22 (4): 531 – 536, 1994.
220. Zelle BA, Gruen GS, Brown S, George S. (2005) 'Sacroiliac joint dysfunction evaluation and management. *Clin J Pain*. 21 (5): pp 446 – 455.
221. Zorzi C, Dall'Oca C, Cadossi R, et al. Effects of pulsed electromagnetic fields on patients' recovery after arthroscopic surgery: prospective, randomized and double-blind study. *Knee Surg Sports Tramatol Arthrosc* 2007; 15 (7): 830 – 834.
222. Zullino DF, Krenz S, Fresard E et al. (2005) 'Local back massage with an automated massage chair: general muscle and psychophysiologic relaxing properties.' *J Altern Complement Med*. 11 (6): pp 1103 – 1106.
223. Zusman M. (1986) 'Spinal manipulative therapy: review of some proposed mechanisms, and a new hypothesis.' *Aust J Phyty*. 32 (2): pp 89 – 99.