

Treatment of Osteoarthritis in the Literature
By Laurie Edge-Hughes, BScPT, MAnimSt(Animal Physio), CAFCI, CCRT

The goals for the treatment of osteoarthritis (OA) are to relieve pain and associated muscle spasm, maintain and regain joint range of motion (ROM), improve joint health, strengthen supporting muscles, address proprioceptive deficits and advise on lifestyle modifications necessary to improve OA joint functioning.

GOAL	TREATMENT	REFERENCE:
Pain Relief	Modalities (ultrasound, LASER, pulsed electromagnetic field, TENS & neuromuscular electrical stimulation)	(Millis 2004, Michlovitz, Nelson, Sutbeyaz, Gur)
	Massage	(Corbin, Plews, Tappan)
	Thermal therapies (heat or cold)	(Michlovitz, Millis 1997, Steiss)
	Isokinetic muscle strengthening exercises	(Huang)

GOAL	TREATMENT	REFERENCE:
Strengthening (in order to attain increases in joint range of motion, improve joint health, increase muscular strength, improve function and enhance proprioception)	Strengthening (to aid in muscular shock absorption capabilities and minimize fatigue related injuries)	(Millis 1997, Buckwalter)
	Aerobic walking and specific muscle strengthening (to reduce pain and disability in humans, and to increase ROM and improve function)	(Roddy, Roos, Snibbe)
	Moderate exercise (to improve knee cartilage glycosaminoglycan content)	(Roos)
	Aquatic exercise (thus allowing adequate exercise without joint impact and as a cross training tool)	(Stitik, Cochrane, Hamilton, Hudson, Millis 2004)
	Cross training (to reduce repetitions of joint loading and stress)	(Buckwalter, Edge-Hughes)

GOAL	TREATMENT	REFERENCE:
Manual Therapy Techniques (to improve quality of life, functioning, walking tolerance and ROM)	Mobilizations, stretching and joint traction or distraction	(Hoeksma, Crook)
	Manual therapy (as above) in combination with exercise therapy)	(Hoeksma, Deyle)

GOAL	TREATMENT	REFERENCE:
Joint health, cartilage regeneration, and slowing the progression of OA	Pulsed Electromagnetic Field therapy	(Fini, Sutbayez, Fioravanti)
	LASER	(Cho, Lin)
	Glucosamine	(Bruyere, Verbruggen, Johnson, Canapp)
	Cetylated Fatty Acids	(Hesslink, Curtis, Richardson, Kraemer)

GOAL	TREATMENT	REFERENCE:
Improvement in overall functioning and decreased lameness	Weight loss	(Messier, Impellizeri)

GOAL	TREATMENT	REFERENCE:
Preventing Osteoarthritis	Lifelong exercise	(Newton, Buckwalter, Bennell)
	Lifelong weight management	(Kealy)

References:

1. Bennell K, Hinman R. (2005) 'Exercise as a treatment for osteoarthritis.' *Curr Opin Rheumatol.* 17 (5): pp 634 – 640.
2. Buckwalter JA. (2003) 'Sports, joint injury and post traumatic osteoarthritis.' *J Orthop Sports Phys Ther.* 33: pp 578 – 588.
3. Brosseau L et al. (2003) 'Intensity of exercise for the treatment of osteoarthritis (Review).' The Cochrane Database of Systematic Reviews (Issue 2). Cochrane Collaboration.
4. Canapp SO Jr, McLaughlin RM Jr, Hoskinson JJ et al (1999) 'Scintigraphic evaluation of dogs with acute synovitis after treatment with glucosamine hydrochloride and chondroitin'. *Am J Vet Res.* 60 (12): pp 1552 – 1557.

5. Cho HJ, Lim SC, Kim SG et al. (2004) 'Effect of low-level laser therapy on osteoarthropathy in rabbit.' *In Vivo*. 18 (5): pp 585 -591.
6. Cochrane T, Davey RC, Matthes Edwards SM. (2005) 'Randomised controlled trial of the cost-effectiveness of water-based therapy for lower limb osteoarthritis.' *Health Technol Assess*. 9 (31): iii – iv, ix – xi, 1 – 114.
7. Corbin L. (2005) 'Safety and efficacy of massage therapy for patients with cancer.' *Cancer Control*. 12 (3): pp 158 – 164.
8. Crook TC. (2004) 'The effects of passive stretching on canine joint motion restricted by osteoarthritis in vivo.' In *Proceedings of the 3rd International Symposium on Rehabilitation and Physical Therapy in Veterinary Medicine*. p. 207. (North Carolina State College of Veterinary Medicine: Raleigh, NC, USA).
9. Curtis CL, Rees SG, Cramp J et al. (2002) 'Effects of n-3 fatty acids on cartilage metabolism.' *Proc Nutr Soc*. 61 (3): pp 381 – 389.
10. Deyle GD, Allison SC, Matekel RL et al. (2005) 'Physical therapy treatment effectiveness for osteoarthritis of the knee: A randomized comparison of supervised clinical exercise and manual therapy procedures versus a home exercise program.' *Phys Ther*. 85 (12): pp 1301 – 1317.
11. Edge-Hughes LM. (2002) 'Therapeutic exercise for the canine patient.' In *Proceeding of the 2nd International Symposium on Rehabilitation and Physical Therapy in Veterinary Medicine*. pp 59 - 62. (Knoxville, TN, USA).
12. Fini M, Giavaresi G, Torricelli P et al. (2005) 'Pulsed electromagnetic fields reduce knee osteoarthritic lesion progression in the aged Dunkin Hartley guinea pig.' *J Orthop Res*. 23: pp 899 – 908.
13. Fioravanti A, Nerucci F, Collodel G. (2002) 'Biochemical and morphological study of human articular chondrocytes cultivated in the presence of pulsed signal therapy.' *Ann Rheum Dis*. 61: pp 1032 – 1033.
14. Gur A, Cosut A, Sarac AJ et al. (2003) 'Efficacy of different therapy regimes of low-power laser in painful osteoarthritis of the knee: A double-blind and randomized-controlled trial.' *Lasers Surg Med*. 33 (5): pp 330-8.
15. Hamilton SA. (2002) 'Rehabilitation of osteoarthritis in a dog.' In *Proceeding of the 2nd International Symposium on Rehabilitation and Physical Therapy in Veterinary Medicine*. p 127. (Knoxville, TN, USA).
16. Hesslink R, Armstrong D III, Nagendran MV et al. (2002) 'Cetylated fatty acids improve knee function in patients with osteoarthritis.' *J Rheumatol*. 29 (8): pp 1708 – 1712.
17. Hoeksma H, Dekker J, Ronday H et al. (2004) 'Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: A randomized clinical trial.' *Arthritis Care and Research*. 51: pp 722 – 729.
18. Huang MH, Lin YS, Lee CL et al. (2005) 'Use of ultrasound to increase effectiveness of isokinetic exercise for knee osteoarthritis.' 86 (8): pp 1545 – 1551.
19. Hudson S, Hulse D. (2004) 'Benefit of rehabilitation for treatment of osteoarthritis in senior dogs.' In *Proceeding of the 3rd International Symposium on Rehabilitation and Physical Therapy in Veterinary Medicine*. p 235. (Research Triangle Park, NC, USA).
20. Impellizeri JA, Tetrick MA, Muir P. (2000) 'Effect of weight reduction on clinical signs of lameness in dogs with hip osteoarthritis.' *J Am Vet Med Assn*. 216 (7): pp 1089 – 1091.
21. Johnson KA, Hulse DA, Hart RC et al (2001) 'Effects of an orally administered mixture of chondroitin sulfate, glucosamine hydrochloride and manganese ascorbate on synovial fluid chondroitin sulfate 3B3 and 7D4 epitope in a canine cruciate ligament transection model of osteoarthritis'. *Osteoarthritis and Cartilage*. 9, 14 – 21.
22. Kealy RD, Lawler DF, Ballam JM et al. (2002) 'Effects of diet restriction on life span and age-related changes in dogs.' *J Am Vet Med Assoc*. 220 (9): pp 1315 – 1320.
23. Kraemer WJ, Ratamess NA, Maresh CM et al. (2005) 'A cetylated fatty acid topical cream with menthol reduces pain and improves functional performance in individuals with arthritis.' *J Strength Cond Res*. 19 (2): pp 475 – 480.
24. Lin YS, Huang MH, Chai CY. (2005) 'Effects of helium-neon laser on the mucopolysaccharide induction in experimental osteoarthritic cartilage.' *Osteoarthritis Cartilage*. Dec 12: e-pub ahead of print.
25. Michlovitz SL. (1990) *Thermal Agents in Rehabilitation*. (F. A. Davis Company: Philadelphia, PA).

26. Millis DL, Levine D. (1997) 'The role of exercise and physical modalities in the treatment of osteoarthritis.' *Vet Clin N Am Sm Anim Pract.* 27 (4): pp 913 – 930.
27. Nelson RM, Currier DP. (1987) *Clinical Electrotherapy.* (Appleton & Lange: Norwalk, CT).
28. Millis DL. (2004) 'Managing chronic osteoarthritis using physical rehabilitation.' In *Proceeding of the 3rd International Symposium on Rehabilitation and Physical Therapy in Veterinary Medicine.* pp 127 - 130. (Research Triangle Park, NC, USA).
29. Newton PM et al. (1997) 'The effect of lifelong exercise on canine articular cartilage.' *Am J Sports Med.* 25 (3): pp 282 – 287.
30. Plews-Ogan M, Owens JE, Goodman M et al. (2005) 'Brief Report: A pilot study evaluating mindfulness-based stress reduction and massage for the Management of chronic pain.' *J Gen Intern Med.* 20: pp 1136 – 1138.
31. Richardson DC, Schoeherr WD, Zicker SC. (1997) 'Nutritional management of osteoarthritis.' *Vet Clin N Am Sm Anim Pract.* 27 (4): pp 883 – 911.
32. Roddy E, Zhang W, Doherty M. (2005) 'Aerobic walking or strengthening exercise for osteoarthritis of the knee? A systematic review.' *Ann Rheum Dis.* 64: pp 544 – 548.
33. Roos EM, Dahlberg L. (2005) 'Positive effects of moderate exercise on glycosaminoglycan content in knee cartilage: a four-month, randomized, controlled trial in patients at risk of osteoarthritis.' *Arthritis Rheum.* 52 (11): pp 3507 – 3514.
34. Snibbe JC, Gambardella RA. (2005) 'Treatment options for osteoarthritis.' *Orthopedics.* 28 (2, Suppl): pp S215 – S220.
35. Steiss JE, Levine D. (2005) 'Physical agent modalities.' *Vet Clin Sm Anim N Am Pract.* 35 (6): pp 137 – 1333.
36. Stitik TP, Kaplan RJ, Kamen LB et al. (2005) 'Rehabilitation of orthopedic and rheumatological disorders. 2. Osteoarthritis assessment, treatment and rehabilitation.' *Arch Phys Med Rehabil.* 86, Suppl 1: pp S48 – S55.
37. Sutbeyaz ST, Sezer N, Koseoglu BF. (2005) 'The effect of pulsed electromagnetic fields in the treatment of cervical osteoarthritis: a randomized, double-blind, sham-controlled trial.' E-pub ahead of print.
38. Verbruggen et al (2002) 'Systems to assess the progression of finger joint osteoarthritis and the effects of disease modifying osteoarthritis drugs.' *Clinical Rheumatology.* 21: pp 231 – 243.